CHEMATEX DYES & CHEMICALS

洗涤剂 JL
CHEMAGENT JL
低泡润湿剂和洗涤剂

产品特性

- 低泡性，适合于喷射和溢流系统上使用。
- 优良的湿润及煮练性能。
- 可直接加入水中。
- 不含 APEO 成份。

组　份

嵌段聚醚

化学及物理参数

离子性	:	非离子。
酸碱值	:	近乎中性。
外观	:	无色或微蓝色透明液体。
稠度	:	液体。

应　用

适用品种	:	各种纤维
适用设备	:	非连续式设备 / 连续式设备
溶解方法	:	本品可直接使用

指导配方 : 润湿和预清洗

0.5 - 2.0	克升	CHEMAGENT JL

酵素退浆

0.5 - 3.0	克升	CHEMAGENT JL

还原染料，活性染料，偶氮染料及其它染料等染色物的后皂洗

0.6 - 2.0	克升	CHEMAGENT JL
0.5 - 1.0	克升	CHEMAQUEST A340

棉针织物的双氧水漂白

0.6 - 1.5	克升	CHEMAGENT JL
0.5 - 1.0	克升	CHEMAQUEST A340
0.8 - 1.5	克升	CHEMAFLUID C
3.0 - 4.0	克升	烧碱溶液 36°Be’
4.0 - 7.0	克升	（30%）双氧水

漂白温度：
95 - 98°C，处理 45 - 60 分钟
HT - 漂白：120°C 处理 20 分钟

本数据是基于精密试验所得，以供阁下参考。对于使用后所得之一切结果，不负任何责任。这是因染厂有许多的变量超出我们所能控制之范围。本公司仅保证产品之质量稳定不变。

The information and data in this bulletin are based on accurate laboratory researches and are intended for your guidance. We cannot, however, accept any responsibility for the results obtained, in view of the numerous factors of application are beyond our control. Our guarantee is limited to the unvarying quality of our products.

保管与储存

储存稳定性	:	至少 12 个月
储存和运输	:	热稳定

产品在低于零下 3°C 时会发生变化经加热和搅拌后仍可使用。

注意

对于意外情况和着火时的处理，以及有关环保，毒性，运输，储存等的数据，请查阅另外的材料安全数据资料。CHEMAQUEST A340 是一种活性染色及印花的后洗水整理剂。它对硬水物具有络合分散作用，能防止硬水物及其它杂质的沉淀，有效去除浮色。

…完…

本数据是基于精密试验所得，以供阁下参考。对于使用后所得之一切结果，不负任何责任。这是因染厂有许多的变量超出我们所能控制之范围。本公司仅保证产品之质量稳定不变。

The information and data in this bulletin are based on accurate laboratory researches and are intended for your guidance. We cannot, however, accept any responsibility for the results obtained, in view of the numerous factors of application are beyond our control. Our guarantee is limited to the unvarying quality of our products.